

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name	DOB		
Patient address				
Provider NPI	Prescriber name	Phone		
Prescriber address		Fax		
Pharmacy name	Address	Phone		
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.				
Pharmacy NPI	Pharmacy fax			

Prior authorization (PA) is not required for preferred topical acne agents (topical antibiotics and topical retinoids) for members under 21 years of age. PA is required for preferred topical acne agents for members 21 years or older, non-preferred topical acne agents and all topical rosacea agents. Payment will be considered when member has an FDA approved or compendia indication for the requested drug, except for any drug or indication excluded from coverage, as defined in Section 1927 (2)(d) of the Social Security Act, Iowa's CMS approved State Plan, and the Iowa Administrative Code (IAC) when the following conditions are met:

- 1) Request adheres to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations; and
- 2) Documentation of diagnosis; and
- 3) For the treatment of acne vulgaris, benzoyl peroxide is required for use with a topical antibiotic or topical retinoid; and
- 4) Payment for non-preferred topical antibiotic or topical retinoid acne products will be authorized only for cases in which there is documentation of previous trials and therapy failures with two preferred topical acne agents of a different chemical entity from the requested topical class (topical antibiotic or topical retinoid); and
- 5) Payment for non-preferred topical acne products outside of the antibiotic or retinoid class (e.g., Winlevi) will be authorized only for cases in which there is documentation of previous trials and therapy failures with a preferred topical retinoid and at least two other topical acne agents. If criteria for coverage are met, initial requests will be approved for six months; and
- 6) Payment for non-preferred topical rosacea products will be authorized only for cases in which there is documentation of a previous trial and therapy failure with a preferred topical rosacea agent; and
- 7) Requests for non-preferred combination products may only be considered after documented trials and therapy failures with two preferred combination products; and
- 8) Requests for topical retinoid products for skin cancer, lamellar ichthyosis, and Darier's disease diagnoses will receive approval with documentation of submitted diagnosis; and
- 9) Duplicate therapy with agents in the same topical class (topical antibiotic or topical retinoid) will not be considered.

The required trials may be overridden when documented evidence is provided that the use of these agents would be medically contraindicated.

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT – ACCURACY IS IMPORTANT)

Preferred	Non-Preferred			
Adapalene/BPO 0.1-2.5%	Acanya	Cleocin T	Metronidazole Gel & Lotion	
Adapalene Gel	Adapalene/BPO 0.3-2.5		Noritate	
Clindamycin	Adapalene/BPO Pad	Clindamycin/BPO 1.2-5%	Onexton	
Clindamycin/BPO 1.2-2.5%	Adapalene Cream	Clindamycin Foam	Retin-A Micro	
Erythromycin	Altreno Lotion	Clindamycin Phosphate-Tretinoin	Sodium Sulfa/Sulf	
Metronidazole 0.75% Cream	Arazlo	Dapsone Gel		
Retin-A	Atralin	Erythromycin/BPO	Winlevi	
Tazarotene Cream & Gel	Azelaic Acid Gel 15%	Fabior	Ziana	
	Benzamycin	Finacea		
	Cabtreo	Ivermectin cream		
		Klaron		
Strongth Dog	Other (specify)	Decesso Instructions Que	netity Dovo Supply	
Strength Dos	sage Form	Dosage Instructions Qua	antity Days Supply	
Diagnosis:				
If acne vulgaris, document concurrent benzoyl peroxide use:				
Drug Name & Strength:				
Dosing Instructions:	osing Instructions: Start date:			
Non-Preferred Topical Acne or Rosacea Products Acne Diagnosis: Document trials with two preferred topical acne agents of a different chemical entity; if a non- preferred combination product is requested, the two trials must be preferred topical acne combination products				
Rosacea diagnosis: Docur	ment trial with one prefer	rred topical rosacea agent of a differe	ent chemical entity:	
Preferred Trial 1: Name/Dose: Trial Dates:				
Failure reason:				
Preferred Trial 2: Name/Dose	2:	Trial Dates:		
Failure reason:				
Requests for Non-Preferred	d Agents outside of antil	biotic or retinoid class (e.g, Winlevi)	:	
Preferred Topical Retinoid: Name/Dose:		Trial Dates:	Trial Dates:	
Failure reason:				
Trial 2: Name/Dose:		Trial Dates:		
Failure reason:				
Trial 3: Name/Dose:		Trial Dates:		
Failure reason:				
Medical or contraindication re	ason to override trial requ	uirements:		

Request for Prior Authorization TOPICAL ACNE AND ROSACEA PRODUCTS

(PLEASE PRINT - ACCURACY IS IMPORTANT)

Other relevant information:

Possible drug interactions/conflicting drug therapies:______ Attach lab results and other documentation as necessary.

Prescriber signature (Must match prescriber listed above.)	Date of submission

IMPORTANT NOTE: In evaluating requests for prior authorization, the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary, by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.